

## Sandling Beach Samples 2011

Date Collected	Sample Location	Sample ID	Comments	E. coli. cfu/100ml (Limit: <235)	Enterococci cfu/100ml (Limit: <61)	Status
5/5/2011	Sandling Beach	North		7.4	4.0	PASS
	Sandling Beach	South		14.6	21.3	
5/16/2011	Sandling Beach	North		<1	1.0	PASS
	Sandling Beach	South		1.0	1.0	
5/26/2011	Sandling Beach	North		18.7	5.2	PASS
	Sandling Beach	South		2.0	3.0	
5/31/2011	Sandling Beach	North		2.0	<1	PASS
	Sandling Beach	South		3.0	1.0	
6/6/2011	Sandling Beach	North		1.0	2.0	PASS
	Sandling Beach	South		3.1	1.0	
6/13/2011	Sandling Beach	North		44.8	34.5	PASS
	Sandling Beach	South		2.0	<1	
6/21/2011	Sandling Beach	North		<1	1.0	PASS
	Sandling Beach	South		<1	<1	
6/28/2011	Sandling Beach	North		3.1	2.0	PASS
	Sandling Beach	South		5.2	2.0	
7/5/2011	Sandling Beach	North		6.2	1.0	PASS
	Sandling Beach	South		1.0	9.7	
7/12/2011	Sandling Beach	North		13.4	7.4	PASS
	Sandling Beach	South		7.4	<1	
7/18/2011	Sandling Beach	North		<1	<1	PASS
	Sandling Beach	South		1.0	2.0	
7/25/2011	Sandling Beach	North		38.9	3.1	PASS
	Sandling Beach	South		3.1	4.1	
8/8/2011	Sandling Beach	North		<1	2.0	PASS
	Sandling Beach	South		1.0	2.0	
8/17/2011	Sandling Beach	North		<1	1.0	PASS
	Sandling Beach	South		<1	<1	
8/29/2011	Sandling Beach	North		<1	2.0	PASS
	Sandling Beach	South		<1	2.0	
9/13/2011	Sandling Beach	North		<1	3.0	PASS
	Sandling Beach	South		<1	4.1	